



BESTAR

Bestar Steel Co.,Ltd

Add: No.9 Xiangfu Road, Changsha city, Hunan, China-410004.

Tel:86-731-88678538 Fax:86-731-88678531 Mob:86-13975863127

Skype: sabrina_zhf Email: sabrina@bestarpipe.com MSN: sabrina_zhou@msn.cn


1 Company Introduction

Bestar Steel Co.,Ltd specializes in manufacturing and providing seamless steel pipes and tubes, including carbon steel line pipes, oil casing and tubing pipes, boiler tubes and pipes, line pipe for machining use, automotive axle housing tube,

covering the standards and specification ASTM 106/A53 GrB, API 5L GrB/X42/X46/X52, OCTG oil casing and tubing API 5CT J55/K55/N80/P110, OCTG drill pipe API 5DP E75/X95/G105/S135, boiler tube ASTM A179, ASTM A210, ASTM A192, ASTM A213, low temperature steel pipe ASTM A333 Gr.6, high temperature alloy steel pipe ASTM A335 P1/ P2/P5/P9/ P11/P12/P22/P91.


As one of the subsidiaries of Shinerstar Group, Bestar Steel Company aims for the market of seamless steel pipes, especially OCTG oil casing and tubing pipes for oil field.

2 The Group Company & Factories



Our sales in 2011 reached over USD 300 million with the support of 5 invested factories in Xiangtan, Hunan Province, Changzhou & Yangzhou, Jiangsu Province, Cangzhou, Hebei Province and Ho Chi Minh City, Vietnam respectively, which made us a quite comprehensive partner with unique insight to help build your projects,

3 Facilities & Equipment





BESTAR

Bestar Steel Co.,Ltd

Add: No.9 Xiangfu Road, Changsha city, Hunan, China-410004.

Tel:86-731-88678538 Fax:86-731-88678531 Mob:86-13975863127

Skype: sabrina_zhf Email: sabrina@bestarpipe.com MSN: sabrina_zhou@msn.cn



Product details

Carbon Steel Pipe ASTM 106/A53, API 5L

Size: ϕ 10-1016mm*1-52mm

Grade: A,B,C

Operative Standard: ASTM A106, ASME SA106, ASTM A53, ASME SA53

Type of End-Finish: PE, BE.



ASTM A106/A53 GrB/API 5L GrB



Seamless steel pipe API 5L X42



Seamless pipe API 5L X42/X46/X52

Steel tubes for boiler and heat exchanger ASTM /ASME A179/A210/A192/A213

Size: ϕ 15.9-139.8mm*1.2-12.5mm

Grade: A179A, A192, T9, T11, T12, T22, ect

Operative Standard: ASTM /ASME A179/A210/A192/A213



Structural Tube

Size:

ϕ 10mm-1200mm*1mm-120mm

Grade: ST37.0, ST44.0, ST55, ST52.0, CK45 and other grades.

Operative Standard: EN10297-1, JIS G3441, JIS G3445, DIN1629 and Agreement.

High intensity structural tube

Size: ϕ 22mm-406mm*2mm-50mm

Grade:

BG690QL, BG770QL (FGS78WV), BG890QL (FGS90WV), BG1100QL, HSM450, HSM770, HSM890 and other grades.

Operative Standard: Q/OHAD015, GB/T8162-2008 and Agreement.

Precision pipe DIN

Grade: ST35 (E235), ST37.4, T45 (E255), ST52 (E355).

Size: ϕ 12-114mm*2-26mm (Cold Drawn)

Operative Standard: DIN 2391, DIN2445, EN10305, DIN1629, DIN1630, ASTM A179.



BESTAR

Bestar Steel Co.,Ltd

Add: No.9 Xiangfu Road, Changsha city, Hunan, China-410004.

Tel:86-731-88678538 Fax:86-731-88678531 Mob:86-13975863127

Skype: sabrina_zhf Email: sabrina@bestarpipe.com MSN: sabrina_zhou@msn.cn



Structural Tube



High intensity structural tube



Auto precision pipe ST52

OCTG oil casing pipes API 5CT J55/K55/N80/P110

Size:4-1/2", 5", 5-1/2", 6-5/8", 7", 7-5/8", 7-3/4", 8-5/8", 9-5/8", 10-3/4", 11-3/4", 13-3/8", 16", 18-5/8", 20".

Grade:J55, K55, M65, N80-1, N80Q, L80-1, L80-9Cr, L80-13Cr, C90, C95, T95, P110, Q125.

Operative Standard: API Spec 5CT.

Type of End-Finish: PE, STC, LTC, BTC.



OCTG API 5CT casing K55



API 5CT casing pipe N80-1



API 5CT casing pipe P110

OCTG oil tubing API 5CT J55/K55/N80/P110

Size:4-1/2", 5", 5-1/2", 6-5/8", 7", 7-5/8", 7-3/4", 8-5/8", 9-5/8", 10-3/4", 11-3/4", 13-3/8", 16", 18-5/8", 20".

Grade:J55, K55, M65, N80-1, N80Q, L80-1, L80-9Cr, L80-13Cr, C90, C95, T95, P110, Q125.

Operative Standard: API Spec 5CT.

Type of End-Finish: PE, STC, LTC, BTC.



API 5CT tubing P110



OCTG API 5CT tubing J55



API 5CT tubing N80-1

Drill pipe API 5DP E75/X95/G105/S135

Size: 2 3/8", 2 7/8", 3 1/2", 4", 4-1/2", 5", 5-1/2", 6-5/8".

Grade: E75, X95, G105, S135.

Operative Standard: API SPEC 5DP, API SPEC 7



API 5DP Drill pipe G105



API 5DP Drill pipe G105



Heavy weight dill pipe